

BLACK BOX TECHNICAL RIDER

FACILITIES

| | |
|-----------------|---|
| Floor: | Carpeting: Expo-tex needle punch "Venus" Colour: Stahl |
| Seating: | No fixed seating. Capacity 50 pax. |
| Windows: | 2 x Window Bay: 1.93m x 1.18m 2 x Window: 1.32m x 1.05m 1 x Central Window Bay: 2.8m x 1.18m 1 x Central Window: 2.23m x 1.05m Option for Black Cover available for all windows |
| Toilet: | 2 x single unit |

STAGING

| | |
|-----------------------------|---|
| Risers: | 7 x riser platforms 1.22m x 1.22m 4 x riser support of 24" height 3 x riser support of 16" height |
| Additional Flooring: | Black Dance Mat x 3 pieces (2m x 5m) |
| Ceiling Access: | 1 x 5ft Ladder 1 x 9ft Extension Ladder (Maximum reach: 24ft) |

LIGHTING

| | |
|--------------------------------------|--|
| Local Power Supply: | 220V/240V, 50Hz |
| House/Work Lights: | 2 x Florescent Tubing |
| Performance Lights: | 4 Sided Track Lighting System Domestic dimmer system: 1 channel per side Maximum load: 4 lights per channel 20 x MR 16 Track Lights |
| Inventory: | MR 16 Bulbs 20 x 10 Degrees (50 watts) 20 x 38 Degrees (50 watts) |
| Standard Household Connector: | 13 A (UK) x 8 sockets |

SOUND

| | |
|---------|---|
| System: | YAMAHA STAGEPAS 400i 2 speakers and a detachable powered mixer |
|---------|---|

| Model | STAGEPAS 400i |
|----------------------------|---------------------------------------|
| System Type | Powered mixer with 2 passive speakers |
| Maximum SPL (*Maximum SPL) | 125dB SPL / speaker |
| Frequency Range (-10 dB) | 55Hz - 20kHz |
| Power Consumption | 30W (Idle), 70W (1/8 Power) |
| Power Requirements | 100V - 240V 50Hz/60Hz |

